




NON-WOVEN PLEATED CELLULOSE FILTERS

The SP-S1 series of sediment filters by SpiroPure offer pleated cellulose filter media for a higher dirt holding capacity. A polypropylene core and durable end caps assist with added cartridge strength. Economical filter design makes this filter the perfect choice for general water filtration purposes, particularly for chlorinated water supplies.

- Reduces fine sediment particles from residential, commercial, and industrial applications
- Available in nominal sizes of: 10x2.5, 10x4.5, 20x2.5, and 20x4.5
- Available nominal filtration ratings of: 20 microns
- Made with non-woven pleated cellulose filter media
- Temperature rating of 39°F to 125°F (4°C to 52°C)

FILTER DETAILS CHART

| | Model Number | Nominal Micron Rating | Pressure Drop | Temperature Rating | Case Quantity | Case Dimensions | Case Weight |
|------------|--------------|-----------------------|------------------|---------------------------|---------------|----------------------------|-------------|
| 2.5" x 10" | SP-S1 | 20 micron | 2.4 psi @ 10 gpm | 39°F - 125°F (4°C - 52°C) | 24 | 20" x 11" x 8 1/2" | 7 lb |
| 2.5" x 20" | SP-S1-20 | 20 micron | 0.8 psi @ 10 gpm | 39°F - 125°F (4°C - 52°C) | 20 | 20 1/4" x 14" x 11" | 11 lb |
| 4.5" x 10" | SP-S1-BB | 20 micron | 1.2 psi @ 10 gpm | 39°F - 125°F (4°C - 52°C) | 8 | 18 1/2" x 10 1/2" x 9 3/4" | 8 lb |
| 4.5" x 20" | SP-S1-20BB | 20 micron | 0.8 psi @ 10 gpm | 39°F - 125°F (4°C - 52°C) | 6 | 21" x 14" x 9 1/2" | 9 lb |



2256 S 1250 W, Woods Cross, UT 84087

Copyright © 2023 SpiroPure. All Rights Reserved.
www.spiropure.com