



## GLAZED POLYPROPYLENE FELT LIQUID BAG FILTERS


SpiroPure SP-BP series liquid bag filters utilize a glazed polypropylene felt filter media to accommodate a variety of applications. The polypropylene felt filter media offers a high solid loading capacity, while the glazed finish reduces the chance of migration.

- Filter has a high dirt-holding capacity for critical applications such as corrosive fluids, including acids, alkalis, oils, organic solvents, and microorganisms
- Available in sizes: #1, #2, #3, and #4
- Available nominal filtration ratings of: 1, 5, 10, 25, 50, 100, and 200 microns
- All SpiroPure polypropylene felt bag filters have a max temperature rating of 80°C (176°F)

### FILTER DETAILS CHART

	Model Number	Nominal Micron Rating	Temperature Rating	Case Quantity	Case Dimensions	Case Weight
#1	SP-BP-1-1	1 micron	< 176°F (80°C)	40	23.5" x 18" x 12"	15 lbs
	SP-BP-1-5	5 micron				
	SP-BP-1-10	10 micron				
	SP-BP-1-25	25 micron				
	SP-BP-1-50	50 micron				
	SP-BP-1-100	100 micron				
	SP-BP-1-200	200 micron				
#2	SP-BP-2-1	1 micron	< 176°F (80°C)	40	23.5" x 18" x 16"	21 lbs
	SP-BP-2-5	5 micron				
	SP-BP-2-10	10 micron				
	SP-BP-2-25	25 micron				
	SP-BP-2-50	50 micron				
	SP-BP-2-100	100 micron				
	SP-BP-2-200	200 micron				
#3	SP-BP-410-1	1 micron	< 176°F (80°C)	40	18" x 14.5" x 10.5"	6 lbs
	SP-BP-410-5	5 micron				
	SP-BP-410-10	10 micron				
	SP-BP-410-25	25 micron				
	SP-BP-410-50	50 micron				
	SP-BP-410-100	100 micron				
	SP-BP-410-200	200 micron				

	Model Number	Nominal Micron Rating	Temperature Rating	Case Quantity	Case Dimensions	Case Weight
#4	SP-BP-420-1	1 micron	< 176°F (80°C)	40	24" x 18" x 12"	11 lbs
	SP-BP-420-5	5 micron				
	SP-BP-420-10	10 micron				
	SP-BP-420-25	25 micron				
	SP-BP-420-50	50 micron				
	SP-BP-420-100	100 micron				
	SP-BP-420-200	200 micron				



2256 S 1250 W, Woods Cross, UT 84087

Copyright © 2023 SpiroPure. All Rights Reserved.  
www.spiropure.com

Chart data based on 1 square foot of filtration media. To get your final rating, divide the differential pressure by the number of media square footage of your bag filter.